

Ojibway Prairie Complex Checklist of spiders (Araneae), 2014-2015

Identified by Gerry Blagoev and Tom Mason

A total of **218** species, belonging to 27 family were collected in the territory of the Ojibway Nature Centre.

21 species are new to Canada (in red), and **6** are new genera (in shade).

| Family | Species | Status | Common name (if any) |
|---|----------------------------------|------------------------------|--------------------------|
| Agelenidae (Funnel-web spiders) | <i>Agelenopsis emertoni</i> | | - |
| | <i>Agelenopsis naevia</i> | New species to Canada | - |
| | <i>Agelenopsis pennsylvanica</i> | | - |
| | <i>Agelenopsis potteri</i> | | - |
| | <i>Coras lamellosus</i> | | - |
| Amaurobiidae (Tangled nest spiders) | <i>Amaurobius ferox</i> | | Hackledmesh weaver |
| Anyphaenidae (Ghost spiders) | <i>Anyphaena celer</i> | | - |
| | <i>Anyphaena pectorosa</i> | | - |
| | <i>Arachosia cubana</i> | New genus to Canada | Perplexing spider |
| | <i>Hibana gracilis</i> | | Garden ghost spider |
| | <i>Wulfila saltabundus</i> | | Foliage spider |
| Araneidae (Typical orb-weaver spiders) | <i>Acanthepeira stellata</i> | | Starbellied orbweaver |
| | <i>Araneus cingulatus</i> | New species to Canada | - |
| | <i>Araneus diadematus</i> | | Cross orbweaver |
| | <i>Araneus marmoreus</i> | | Marbled orbweaver |
| | <i>Araneus pratensis</i> | | - |
| | <i>Araneus thaddeus</i> | | Lattice orbweaver spider |
| | <i>Araneus trifolium</i> | | Shamrock orbweaver |
| | <i>Araniella displicata</i> | | Sixspotted orbweaver |
| | <i>Argiope aurantia</i> | | Yellow garden spider |
| | <i>Argiope trifasciata</i> | | Banded garden spider |
| | <i>Cyclosa turbinata</i> | New species to Canada | Trashline orbweaver |
| | <i>Eustala anastera</i> | | Humpbacked orbweaver |
| | <i>Eustala cepina</i> | | - |
| | <i>Eustala emertoni</i> | New species to Canada | - |
| | <i>Eustala rosae</i> | New species to Canada | - |
| | <i>Gea heptagon</i> | New genus to Canada | - |
| | <i>Larinia borealis</i> | | - |
| | <i>Larinioides cornutus</i> | | Furrow orbweaver |
| | <i>Larinioides patagiatus</i> | | Ornamental orbweaver |
| | <i>Larinioides sclopetarius</i> | | Bridge orbweaver |
| | <i>Mangora gibberosa</i> | | Lined orbweaver |
| | <i>Mangora maculata</i> | | Greenlegged orbweaver |
| | <i>Mangora placida</i> | | Tuftlegged orbweaver |
| <i>Metepeira labyrinthea</i> | | Labyrinth orbweaver | |
| <i>Metepeira palustris</i> | | - | |
| <i>Micrathena gracilis</i> | New species to Canada | Spined micrathena | |
| <i>Micrathena sagittata</i> | | Arrow-shaped micrathena | |
| <i>Neoscona arabesca</i> | | Arabesque orbweaver | |

| | | |
|---------------------------------------|-----------------------------------|--|
| | <i>Neoscona crucifera</i> | - |
| | <i>Singa eugeni</i> | - |
| | <i>Verrucosa arenata</i> | New genus to Canada Arrowhead orbweaver |
| | <i>Zygiella nearctica</i> | - |
| Atypidae (Purseweb spiders) | <i>Sphodros niger</i> | Black purseweb spider |
| Clubionidae (Sac spiders) | <i>Clubiona abboti</i> | Stout sac spider |
| | <i>Clubiona maritima</i> | - |
| | <i>Clubiona obesa</i> | - |
| Corinnidae (Antmimic spiders) | <i>Castianeira longipalpa</i> | - |
| | <i>Castianeira sp. 1GAB</i> | - |
| | <i>Castianeira trilineata</i> | - |
| | <i>Castianeira variata</i> | - |
| Dictynidae (Meshweavers) | <i>Cicurina brevis</i> | - |
| | <i>Cicurina pallida</i> | - |
| | <i>Cicurina placida</i> | - |
| | <i>Cicurina sp. 1GAB</i> | - |
| | <i>Dictyna bellans</i> | New species to Canada - |
| | <i>Dictyna foliacea</i> | - |
| | <i>Dictyna volucripes</i> | - |
| | <i>Emblyna annulipes</i> | - |
| | <i>Emblyna sublata</i> | - |
| <i>Phantyna micro</i> | New species to Canada - | |
| Eutichuridae | <i>Cheiracanthium mildei</i> | Northern yellow sac spider |
| Gnaphosidae (Stealthy ground spiders) | <i>Cesonia bilineata</i> | - |
| | <i>Drassyllus depressus</i> | - |
| | <i>Gnaphosa fontinalis</i> | New species to Canada - |
| | <i>Herpyllus ecclesiasticus</i> | Parson spider |
| | <i>Micaria gertschi</i> | Glossy ant-spider |
| | <i>Zelotes fratris</i> | - |
| | <i>Zelotes hentzi</i> | - |
| Hahniidae (Hahniid spiders) | <i>Neoantistea agilis</i> | - |
| | <i>Neoantistea gosiuta</i> | - |
| Linyphiidae (Sheetweb weavers) | <i>Agyneta evadens</i> | - |
| | <i>Agyneta micaria</i> | - |
| | <i>Bathyphantes alboventris</i> | - |
| | <i>Bathyphantes pallidus</i> | - |
| | <i>Centromerus cornupalpis</i> | - |
| | <i>Centromerus sylvaticus</i> | - |
| | <i>Ceraticelus fissiceps</i> | - |
| | <i>Ceraticelus limnologicus</i> | - |
| | <i>Ceraticelus similis</i> | - |
| | <i>Diplostyla concolor</i> | - |
| | <i>Eridantes erigonoides</i> | - |
| | <i>Erigone arctophylacis</i> | - |
| | <i>Erigone atra</i> | - |
| | <i>Erigone autumnalis</i> | - |
| <i>Frontinella communis</i> | Bowl and doily weaver | |

| | | | |
|--------------------------------------|----------------------------------|------------------------------|---------------------|
| | <i>Hypselistes florens</i> | | - |
| | <i>Idionella rugosa</i> | | - |
| | <i>Mermessus index</i> | | - |
| | <i>Mermessus trilobatus</i> | | - |
| | <i>Microlinyphia impigra</i> | | - |
| | <i>Microlinyphia mandibulata</i> | | - |
| | <i>Neriere clathrata</i> | | - |
| | <i>Neriere variabilis</i> | | - |
| | <i>Scylaceus pallidus</i> | | - |
| | <i>Tapinopa bilineata</i> | | - |
| | <i>Tennesseeellum formica</i> | | - |
| | <i>Tenuiphantes tenuis</i> | | - |
| | <i>Tenuiphantes zebra</i> | | - |
| | <i>Walckenaeria brevicornis</i> | | - |
| | <i>Walckenaeria digitata</i> | | - |
| | <i>Walckenaeria fallax</i> | | - |
| Lycosidae (Wolf spiders) | <i>Allocosa funerea</i> | New genus to Canada | - |
| | <i>Gladicosa bellamyi</i> | | - |
| | <i>Pardosa milvina</i> | | - |
| | <i>Pardosa moesta</i> | | - |
| | <i>Pardosa saxatilis</i> | | - |
| | <i>Pirata indigenus</i> | New species to Canada | - |
| | <i>Piratula insularis</i> | | - |
| | <i>Piratula minuta</i> | | - |
| | <i>Rabidosa rabida</i> | | Rabid wolf spider |
| | <i>Schizocosa avida</i> | | - |
| | <i>Schizocosa ocreata</i> | | - |
| | <i>Schizocosa saltatrix</i> | | - |
| | <i>Tigrosa helluo</i> | | - |
| | <i>Trabeops aurantiacus</i> | | - |
| | <i>Trochosa ruricola</i> | | Rustic wolf spider |
| | <i>Trochosa terricola</i> | | Ground wolf-spider |
| | <i>Varacosa avara</i> | | - |
| Mimetidae (Pirate spiders) | <i>Mimetus haynesi</i> | New species to Canada | - |
| | <i>Mimetus notius</i> | | - |
| | <i>Mimetus puritanus</i> | | - |
| Oxyopidae (Lynx spiders) | <i>Oxyopes salticus</i> | New species to Canada | Striped lynx spider |
| | <i>Oxyopes scalaris</i> | | Western lynx spider |
| Philodromidae (Running crab spiders) | <i>Philodromus cespitum</i> | | Turf running-spider |
| | <i>Philodromus imbecillus</i> | | Running crab spider |
| | <i>Philodromus keyserlingi</i> | | - |
| | <i>Philodromus peninsulanus</i> | | - |
| | <i>Tibellus chamberlini</i> | | - |
| | <i>Tibellus maritimus</i> | | - |
| | <i>Tibellus oblongus</i> | | - |
| Pholcidae (Daddy longleg spiders) | <i>Pholcus manueli</i> | New species to Canada | - |
| Phrurolithidae | <i>Phrurotimpus alarius</i> | | - |

| | | |
|--|---|----------------------------|
| | <i>Phrurotimpus borealis</i> | - |
| | <i>Scotinella fratrella</i> | - |
| | <i>Scotinella madisonia</i> | - |
| Pisauridae (Nursery web spiders) | <i>Dolomedes tenebrosus</i> | - |
| | <i>Pisaurina brevipes</i> | - |
| | <i>Pisaurina mira</i> | - |
| Salticidae (Jumping spiders) | <i>Eris militaris</i> | Bronze jumper |
| | <i>Evarcha hoyi</i> | - |
| | <i>Habronattus borealis</i> | - |
| | <i>Hentzia mitrata</i> | White-jawed jumping spider |
| | <i>Hentzia palmarum</i> | - |
| | <i>Maevia inclemens</i> | - |
| | <i>Marpissa formosa</i> | - |
| | <i>Marpissa lineata</i> | - |
| | <i>Marpissa pikei</i> | Pike slender jumper |
| | <i>Myrmarachne formicaria</i> New genus to Canada | - |
| | <i>Naphrys pulex</i> | - |
| | <i>Pelegrina galathea</i> | Peppered jumper |
| | <i>Pelegrina insignis</i> | - |
| | <i>Pelegrina montana</i> | - |
| | <i>Pelegrina proterva</i> | - |
| | <i>Phidippus audax</i> | Bold jumper |
| | <i>Phidippus clarus</i> | - |
| | <i>Phidippus pius</i> New species to Canada | Holy jumper spider |
| | <i>Phidippus princeps</i> | - |
| | <i>Platycryptus undatus</i> | Tan jumping spider |
| | <i>Salticus scenicus</i> | Zebra spider |
| | <i>Sitticus fasciger</i> | Mottled jumper |
| | <i>Synemosyna formica</i> | - |
| | <i>Tutelina similis</i> | - |
| | <i>Zygoballus nervosus</i> | - |
| | <i>Zygoballus rufipes</i> | Hammerjawed jumper |
| Tetragnathidae (Long-jawed orb weavers) | <i>Leucauge venusta</i> | Orchard orbweaver |
| | <i>Pachygnatha autumnalis</i> | - |
| | <i>Tetragnatha elongata</i> | - |
| | <i>Tetragnatha laboriosa</i> | Silver longjawed orbweaver |
| | <i>Tetragnatha straminea</i> | - |
| | <i>Tetragnatha versicolor</i> | - |
| | <i>Tetragnatha viridis</i> | - |
| Theridiidae (Cobweb weavers) | <i>Asagena americana</i> | - |
| | <i>Dipoena nigra</i> | - |
| | <i>Enoplognatha caricis</i> | - |
| | <i>Enoplognatha ovata</i> | Candy stripe spider |
| | <i>Euryopis funebris</i> | - |
| | <i>Euryopis quinquemaculata</i> New species to Canada | - |
| | <i>Faiditus cancellatus</i> | - |
| | <i>Hentziectypus globosus</i> | - |

| | | |
|-------------------------------------|--|--------------------------------|
| | <i>Neospintharus trigonum</i> | - |
| | <i>Neottiura bimaculata</i> | - |
| | <i>Parasteatoda tabulata</i> | Common house spider |
| | <i>Parasteatoda tepidariorum</i> | Common house spider |
| | <i>Steatoda borealis</i> | Cobweb weaver |
| | <i>Steatoda grossa</i> | - |
| | <i>Steatoda triangulosa</i> | Triangulate cobweb spider |
| | <i>Theridion albidum</i> | - |
| | <i>Theridion differens</i> | - |
| | <i>Theridion glaucescens</i> | - |
| | <i>Theridion murarium</i> | - |
| | <i>Theridion pennsylvanicum</i> | - |
| | <i>Theridion</i> sp. 4GAB | - |
| | <i>Theridula emertoni</i> | - |
| | <i>Wamba crispulus</i> | - |
| | <i>Yunohamella lyrica</i> | Adolescent common house spider |
| Theridiosomatidae (Ray orbweavers) | <i>Theridiosoma gemmosum</i> | - |
| Thomisidae (Crab spiders) | <i>Bassaniana utahensis</i> | - |
| | <i>Mecaphesa asperata</i> | - |
| | <i>Misumena vatia</i> | Goldenrod crab spider |
| | <i>Misumenoides formosipes</i> | Whitebanded crab spider |
| | <i>Misumessus oblongus</i> | Green crab spider |
| | <i>Ozyptila americana</i> | - |
| | <i>Ozyptila praticola</i> | - |
| | <i>Synema parvulum</i> New genus to Canada | Black tail crab spider |
| | <i>Tmarus angulatus</i> | - |
| | <i>Xysticus alboniger</i> | - |
| | <i>Xysticus auctificus</i> | - |
| | <i>Xysticus elegans</i> | Elegant crab spider |
| | <i>Xysticus ferox</i> | - |
| | <i>Xysticus fraternus</i> | - |
| | <i>Xysticus funestus</i> | Deadly ground crab spider |
| | <i>Xysticus luctans</i> | - |
| | <i>Xysticus pallax</i> | - |
| Trachelidae | <i>Trachelas tranquillus</i> | Broad-faced sac spider |
| Uloboridae (Cribellate orb-weavers) | <i>Hyptiotes cavatus</i> | - |
| | <i>Uloborus glomosus</i> | Featherlegged orbweaver |
| Zodariidae (Ant spiders) | <i>Zodarion rubidum</i> | - |